


Metric Concentric Reducers - OSTP Tru-Bore®

Type 316L and Type 304L



Metric Concentric Reducers - OSTP Tru-Bore®

Type 316L and Type 304L



Inside	Inside	Wall	Overall	Weight	Product	Product
A' Diameter	a' Diameter	B' Thickness	C' Length	Per Piece	Code	Code
mm	mm	mm	mm	Kilos	316L	304L
20	15	1.5	15	0.01	105A020015	105B020015
25	15	1.5	30	0.03	105A025015	105B025015
25	20	1.5	15	0.02	105A025015	105B025020
32	20	2	36	0.05	105A032020	105B032020
32	25	2	21	0.03	105A032025	105B032025
40	20	2	60	0.1	105A040020	105B040020
40	25	2	45	0.08	105A040025	105B040025
40	32	2	24	0.05	105A040032	105B040032
50	25	2	75	0.15	105A050025	105B050025
50	32	2	54	0.13	105A050032	105B050032
50	40	2	30	0.07	105A050040	105B050040
65	40	2	75	0.21	105A065040	105B065040
65	50	2	45	0.14	105A065050	105B065050
80	40	2	120	0.38	105A080040	105B080040
80	50	2	90	0.31	105A080050	105B080050
80	65	2	45	0.17	105A080065	105B080065
100	50	2	150	0.59	105A100050	105B100050
100	65	2	105	0.45	105A100065	105B100065
100	80	2	60	0.28	105A100080	105B100080
125	65	2	180	0.9	105A125065	105B125065
125	80	2	135	0.72	105A125080	105B125080
125	100	2	75	0.44	105A125100	105B125100
150	65	2	255	1.44	105A150065	105B150065
150	80	2	210	1.25	105A150080	105B150080
150	100	2	150	0.97	105A150100	105B150100
150	125	2	75	0.53	105A150125	105B150125
200	80	2	360	2.6	105A200080	105B200080
200	100	2	300	2.31	105A200100	105B200100
200	125	2	225	1.88	105A200125	105B200125
200	150	2	150	1.35	105A200150	105B200150
250	125	2	375	3.56	105A250125	105B250125

Metric Concentric Reducers - OSTP Tru-Bore®

Type 316L and Type 304L



Inside	Inside	Wall	Overall	Weight	Product	Product
A' Diameter	a' Diameter	B' Thickness	C' Length	Per Piece	Code	Code
mm	mm	mm	mm	Kilos	316L	304L
250	150	2	300	3.08	105A250150	105B250150
250	200	2	150	1.73	105A250200	105B250200
300	150	2	450	5.13	105A300150	105B300150
300	200	2	300	3.84	105A300200	105B300200
300	250	2	150	2.11	105A300250	105B300250
350	200	3	450	9.41	105A350200	105B350200
350	250	3	300	6.92	105A350250	105B350250
350	300	3	150	3.75	105A350300	105B350300
400	250	3	450	11.1	105A400250	105B400250
400	300	3	300	6.06	105A400300	105B400300
400	350	3	150	4.32	105A400350	105B400350
450	350	3	300	9.21	105A450350	105B450350
450	400	3	150	4.89	105A450400	105B450400
500	400	3	300	10.35	105A500400	105B500400
500	450	3	150	5.48	105A500450	105B500450
600	450	3	450	24.17	105A600450	105B600450
600	500	3	300	16.87	105A600500	105B600500